

City of Thomasville Water Pollution Control Plant
Industrial Waste Survey / Application for Industrial Discharge Permit
(Includes Baseline Monitoring Report Data)

To be filed by persons engaged in manufacturing, mining or commercial operations which generate pollutants which are discharged to publicly owned treatment works and then into the waters of the State.

FOR CITY USE
APPLICATION
NUMBER: _____
DATE
RECEIVED: _____
YR MO DAY

SECTION A - GENERAL INFORMATION

1. a. Will you be connected to the public sanitary sewer system?
 Yes No (If no, then do not continue with application. Sign application and submit to:
City of Thomasville, Water Pollution Control Plant, P.O. Box 1397 Thomasville, GA 31799
- b. For an existing business:

Is the building presently connected to the public sanitary sewer system?

Yes:

No: Have you applied for a sanitary sewer hookup? Yes No

c. For a new business:

(i). Will you be occupying an existing vacant building?
 Yes No

(ii). Have you applied for a building permit if a new facility will be constructed?
 Yes No

2. Does or will this facility discharge any wastewater other than from rest rooms to the City sewer?

Yes If the answer to this question is "Yes", please complete the remainder of the application.

No If the answer to this question is "No", skip to Section I.

3. Facility Name: _____

a. Operator Name: _____

- b. Is the operator identified in 1.a., the owner of the facility?
 Yes No

If no, provide the name and address of the operator and submit a copy of the contract and/or other documents indicating the operator's scope of responsibility for the facility. _____

4. Facility Address:
 Street: _____
 City: _____ State: _____ Zip: _____

5. Business Mailing Address:
 Street or P.O. Box: _____
 City: _____ State: _____ Zip: _____

6. Designated signatory authority of the facility:
 [Attach similar information for each authorized representative]

Name: _____
 Title: _____
 Address: _____
 City: _____ State: _____ Zip: _____
 Phone #: _____

7. Designated facility contact:

Name: _____
 Title: _____
 Phone #: _____

SECTION B - BUSINESS ACTIVITY

1. If your facility employs or will be employing processes in any of the industrial categories listed below (regardless of whether they generate wastewater, waste sludge, or hazardous waste), place a check beside the category (check all that apply).

<u>Industrial Categories</u>	<u>Code of Federal Regulations (CFR) Reference Number</u>
<input type="checkbox"/> Aluminum Forming	467
<input type="checkbox"/> Asbestos Manufacturing	427
<input type="checkbox"/> Battery Manufacturing	461
<input type="checkbox"/> Canned and Preserved Fruits and Vegetables Processing	407
<input type="checkbox"/> Canned and Preserved Seafood Processing	408
<input type="checkbox"/> Carbon Black Manufacturing	458
<input type="checkbox"/> Cement Manufacturing	411
<input type="checkbox"/> Coal Mining	434
<input type="checkbox"/> Coil Coating	465
<input type="checkbox"/> Copper Forming	468
<input type="checkbox"/> Dairy Products Processing	405
<input type="checkbox"/> Electrical and Electronic Components Manufacturing	469
<input type="checkbox"/> Electroplating	413

Code of Federal Regulations (CFR)
Reference Number

Industrial Categories

[]	Explosives Manufacturing	457
[]	Feedlots	412
[]	Ferroalloy Manufacturing	424
[]	Fertilizer Manufacturing	418
[]	Glass Manufacturing	426
[]	Grain Mills	406
[]	Gum and Wood Chemicals Manufacturing	454
[]	Hospital	460
[]	Ink Formulating	447
[]	Inorganic Chemicals Manufacturing	415
[]	Iron and Steel Manufacturing	420
[]	Leather Tanning and Finishing	425
[]	Meat Products	432
[]	Metal Finishing	433
[]	Metal Molding and Casting	464
[]	Mineral Mining and Processing	436
[]	Nonferrous Metals Forming and Metal Powders	471
[]	Nonferrous Metals Manufacturing	421
[]	Oil and Gas Extraction	435
[]	Ore Mining and Dressing	440
[]	Organic Chemicals Plastic and Synthetic Fibers	414
[]	Paint Formulating	446
[]	Paving and Roofing Materials	443
[]	Pesticides Chemicals	455
[]	Petroleum Refining	419
[]	Pharmaceutical Manufacturing	439
[]	Phosphate Manufacturing	422
[]	Photographic	459
[]	Plastics Molding and Forming	463
[]	Porcelain Enameling	466
[]	Pulp, Paper, and Paperboard	430
[]	Rubber Manufacturing	428
[]	Soap and Detergent Manufacturing	417
[]	Steam Electric Power Generating	423
[]	Sugar Processing	409
[]	Textile Mills	410
[]	Timber Products Processing	429
[]	The Builders' Paper and Board Mills	431

A facility with process inclusive in the above areas may be covered by Environmental Protection Agency's (EPA) categorical pretreatment standards. These facilities are termed "categorical users".

2. Give a brief description of all operations at this facility including primary products or services (includes principal raw materials, catalysts, and intermediates used in the process).

3. Indicate applicable Standard Industrial Classification (SIC) for all processes (If more than one applies, list in descending order of importance.):

- a. _____
- b. _____
- c. _____
- d. _____
- e. _____

4. PRODUCT VOLUME:

PRODUCT (Brand Name)	PAST CALENDAR YEAR Amounts Per Day (Daily Units)		ESTIMATE THIS CALENDAR YEAR Amounts Per Day (Daily Units)	
	Average	Maximum	Average	Maximum
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

SECTION C - WATER SUPPLY

1. Water Sources: (Check as many as are applicable)

- Private Well
- Surface Water
- Municipal Water Utility (Specify City): _____
- Other (Specify): _____

2. List average water usage on premises:
[New facilities may estimate]

Type	Average Water Usage (GPD)	Indicate Estimate (E) or Measured (M)
a. Contact cooling water	_____	_____
b. Non-contact cooling water	_____	_____
c. Boiler feed	_____	_____
d. Process	_____	_____

<u>Type</u>	<u>Average Water Usage (GPD)</u>	<u>Indicate Estimate (E) or Measured (M)</u>
e. Sanitary	_____	_____
f. Air pollution control	_____	_____
g. Contained in product	_____	_____
h. Plant & equipment wash down	_____	_____
i. Irrigation & lawn watering	_____	_____
j. Other	_____	_____
k. TOTAL OF A-J	_____	_____

SECTION D - SEWER INFORMATION

1. Name, address, and location of the publicly owned treatment works (POTW) to which you discharge.

- a. Name of organization responsible for receiving waste:

- b. Facility receiving waste:
 Name: _____
 Street Address: _____
 City: _____ County _____ State _____
 NPDES Permit No. _____

2. List size, descriptive location, and flow of each facility sewer which connects to the City sewer system. (If more than three, attach additional information on another sheet).

<u>Sewer Size</u>	<u>Descriptive Location of Sewer Connection or Discharge Point</u>	<u>Average Flow (GPD)</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

SECTION E - WASTEWATER DISCHARGE INFORMATION

1. Provide the following information on wastewater flow rate.
[New facilities may estimate]

a. Hours/Day Discharged (e.g., 8 hours/day):

M _____ T _____ W _____ TH _____ F _____ SAT _____ SUN _____

b. Hours of Discharge (e.g., 9 a.m. to 5 p.m.):

M _____ T _____ W _____ TH _____ F _____ SAT _____ SUN _____

c. Peak hourly flow rate (GPD) _____

d. Maximum daily flow rate (GPD) _____

e. Annual daily average (GPD) _____

2. If batch discharge occurs or will occur, indicate:
[New facilities may estimate]

a. Number of batch discharges _____ per day

b. Average discharge per batch _____ (GPD)

c. Time of batch discharges _____ at _____
(days of week) (hours of day)

d. Flow rate _____ gallons/minute

e. Percent of total discharge _____

3. Schematic Flow Diagram - For each major activity in which wastewater is or will be generated draw a diagram of the flow of materials, products, water, and wastewater from the start of the activity to its completion, showing all unit processes. Indicate which processes use water and which generate wastestreams. Include the average daily volume and maximum daily volume of each wastestream [new facilities may estimate]. If estimates are used for flow data this must be indicated. Number each unit process having wastewater discharges to community sewer. Use these numbers when showing these unit processes in the building layout in Section H.

Facilities that checked activities in question 1 of Section B are considered Categorical Industrial Users and should skip to question 5.

4. For Non-Categorical Users Only: List average wastewater discharge, maximum discharge, and type of discharge (batch, continuous, or both), for each of your processes or proposed processes. Include the reference number from the schematic flow diagram that corresponds to each process. [New facilities should provide estimates for each discharge].

No.	Process Description	Average Flow (GPD)	Maximum Flow (GPD)	Type of Discharge (batch, continuous, none)
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

ANSWER QUESTIONS 5 & 6 ONLY IF YOU ARE SUBJECT TO CATEGORICAL PRETREATMENT STANDARDS

5. For Categorical Users: Provide the wastewater discharge flows for each of your processes or proposed processes. Include the reference number from the schematic flow diagram that corresponds to each process. [New facilities should provide estimates for each discharge].

No.	Regulated Process	Average Flow (GPD)	Maximum Flow (GPD)	Type of Discharge (batch, continuous, none)
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

No.	Unregulated Process	Average Flow (GPD)	Maximum Flow (GPD)	Type of Discharge (batch, continuous, none)
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

No.	Dilution	Average Flow (GPD)	Maximum Flow (GPD)	Type of Discharge (batch, continuous, none)
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

6. For Categorical Users Subject to Total Toxic Organic (TTO) Requirements:

Provide the following (TTO) information:

a. Does (or will) this facility use any of the toxic organics that are listed under the TTI standard of the applicable categorical pretreatment standards published by EPA?

- Yes
- No

b. Has a baseline monitoring report (BMR) been submitted which contains TTO information

- Yes
- No

c. Has a toxic organics management plan (TOMP) been developed?

- Yes, (Please attach a copy)
- No

7. Do you have, or plan to have, automatic sampling equipment or continuous wastewater flow metering equipment at this facility?

Current: Flow Metering Yes No N/A
 Sampling Equipment Yes No N/A

Planned: Flow Metering Yes No N/A
 Sampling Equipment Yes No N/A

If so, please indicate the present or future location of this equipment on the schematic flow diagram and describe the equipment below:

If flow metering equipment is not installed, will water use records or other method be used and be representative of discharged flow? Explain.

8. Are any process changes or expansions planned during the next three years that could alter wastewater volumes or characteristics? Consider production processes as well as air or water pollution treatment processes that may affect the discharge.

- No
- Yes, then briefly describe these changes and their effects on the wastewater volume and characteristics: (Attach additional sheets if needed.)

9. Are any materials or water reclamation systems in use or planned?

No

Yes, then briefly describe recovery process, substance recovered, percent recovered, and the concentration in the spent solution. Submit a flow diagram for each process: (Attach additional sheets if needed.)

10. Are any other waste minimization measures used or planned?

No

Yes, then briefly describe measures.

SECTION F - CHARACTERISTICS OF DISCHARGE (refer to 40 CFR Part 403.12(b) for baseline monitoring report requirements).

1. **DATA:** Report organics and pesticides as ug/l; conventional pollutants and metals as mg/mass as lbs/day. All other units have been specified.

All current industrial users are required to submit monitoring data on all pollutants that are subject to categorical standards. Use the tables provided in this section to report the analytical results. **DO NOT LEAVE BLANKS.** For all other (nonregulated) pollutants, indicate whether the pollutant is known to be present (P), suspected to be present (S), or known not to be present (O), by placing the appropriate letter in the concentration column under average of analyses. If data is available for nonregulated pollutants, please include. Indicate on either the top of each table, or on a separate sheet, if necessary, the time, date, and place of sampling, the methods of analysis, the type of sample (i.e., flow proportional composite samples, time proportional composite samples or grab samples) and the number of representative samples taken. Be sure methods conform to 40 CFR Part 136; if they do not indicate what method was used. A certification statement should also be provided on the table or additional sheet if necessary that such sampling and analysis are representative of normal work cycles and expected pollutant discharges to the POTW. A copy of a pollutant scan can be attached in lieu of completing the tables provided that all requested information is included on the scan.

New dischargers should use the table to indicate what pollutants will be present or are suspected to be present in proposed wastestreams by placing P (expected to be present), S (may be present), or O (will not be present) in the concentration column under average of analyses. If the industry is not yet in operation, the levels of the regulated pollutants and process flows should be estimated and reported.

When analyzing for pollutants listed in Georgia's Rules and Regulations for Water Quality Control, the applicant should ensure that the pollutants are at least analyzed down to the detection limits as specified in Attachment No. 1. If detection levels are not applicable for specific pollutants, so indicate by placing N/A under the column detection level used.

TABLE B - PROHIBITED POLLUTANTS

Complete this table by checking the appropriate column and providing analytical results where indicated (P = known to be present, S = suspected to be present, O = known not to be present):

<u>Pollutant</u>	<u>P</u>	<u>S</u>	<u>O</u>
1. Materials that may create a fire or explosion hazard, including wastestreams with a closed cup flash point of less than 140°F or 60°C using test methods in 40 CFR Part 261.21.	—	—	—
Flash point (°F or °C)	—		
2. Corrosive type materials pH < 5 or pH > 9	—	—	—
pH (std. units)	—		
3. Solid or viscous pollutants in amounts which could cause flow obstruction or interference with POTW operation.	—	—	—
4. Discharge of any pollutant (including BOD ₅ , Suspended Solids, COD, etc.) in volume or strength to cause POTW unit process upset or NPDES Permit violations.	—	—	—
BOD ₅ (mg/l)	—		
COD (mg/l)	—		
Suspended Solids (mg/l)	—		
Oil and Grease (mg/l)	—		
5. Heated discharges in excess of 104°F or 40°C	—	—	—
Temperature (°F or °C)	—		

TABLE B (continued)

POLLUTANT	<u>P</u>	<u>S</u>	<u>O</u>
6. Petroleum oil, nonbiodegradable cutting oil or products of mineral oil origin that cause POTW upsets or permit violations.	—	—	—
7. Pollutants which result in presence of toxic gases, vapors or flumes in a quantity that may cause acute worker health and safety problems.	—	—	—
8. Any trucked or hauled pollutants to discharge points on the POTW system.	—	—	—
2. HAZARDOUS WASTES DISCHARGED TO A POTW SEWER SYSTEM (see 40 CFR F 403.12(p) for requirements of hazardous waste notification):			

a. Do you now discharge listed or characteristic hazardous wastes as specified in 40 C Part 261 to a POTW sanitary sewer system?

No

Yes (if the answer is "Yes" complete the following).

(i) Name of the hazardous waste as set forth in 40 CFR Part 261.

(ii) EPA hazardous waste number _____

(iii) Type of discharge to the sewer (continuous, batch, or other)

(iv) A certification should be provided below that you have a program in place to reduce the volume and toxicity of hazardous wastes generated to the extent determined be economically practical.

(v) Describe the program components:

b. Do you discharge more than 100 kilograms of hazardous waste per calendar month to the POTW sewer?

No

Yes (if the answer is "Yes" report the following).

(i) An identification of the hazardous constituents contained in the hazardous waste as specified in 40 CFR Part 261. _____

(ii) An estimation of the mass and concentration of the constituents in the wastestream discharged during the calendar month.

(iii) An estimation of the mass of constituents in the wastestream expected to be discharged during the next 12 months. _____

c. Have you had to submit a hazardous waste notification (to the POTW that you discharge to) based on the requirements of 40 CFR Part 403.12(p)?

No

Yes (if "Yes" provide the POTW name, address and date of notification).

SECTION G - TREATMENT

1. Is any form of wastewater treatment practiced at this facility?

Yes

No

2. Is any form of wastewater treatment (or changes to existing wastewater treatment) planned for this facility within the next three years?

Yes, describe: _____

No

3. Treatment devices or processes used or proposed for treating wastewater or sludge (check as many as appropriate).

- Air flotation
- Centrifuge
- Chemical precipitation
- Chlorination
- Cyclone
- Filtration
- Flow equalization
- Grease or oil separation, type: _____
- Grease trap
- Grinding filter
- Grit removal
- Neutralization, pH correction
- Ozonation
- Reverse osmosis
- Screen
- Sedimentation
- Septic tank
- Solvent separation
- Spill protection
- Sump
- Biological treatment, type: _____
- Rainwater diversion or storage
- Other chemical treatment, type: _____
- Other physical treatment, type: _____
- Other type: _____

4. Description

Describe the pollutant loadings, flow rates, design capacity, physical size, and operating procedures of each treatment facility checked above (attach additional sheets if necessary)

5. Attach a process flow diagram for each existing treatment system. Include process equipment, by-products, by-product disposal method, waste and by-product volumes, and design and operating conditions.

6. Describe any changes in treatment or disposal methods planned or under construction for the wastewater discharge to the sanitary sewer. Please include estimated completion dates.

7. Do you have a treatment plant operator? No Yes
(if Yes):

Name: _____

Title: _____

Phone: _____

Full time: _____ (specify hours)

Part time: _____ (specify hours)

8. Is the treatment plant operator certified? No Yes
(if Yes):

Certification type: _____

Certification date and number: _____

SECTION H - FACILITY OPERATIONAL CHARACTERISTICS

1. Indicate whether the facility discharge is:

Continuous through the year, or

Seasonal - Circle the months of the year during which the business activity occurs:

J F M A M J J A S O N C

COMMENTS: _____

2. Does operation shut down for vacation, maintenance, or other reasons?

No

Yes, indicate reasons and period when shutdown occurs:

3. List types and quantity of raw materials, catalysts, intermediates and other chemicals use or planned for use (attach list if needed).

Chemical

Quantity

4. **Building Layout** - Draw to scale the location of each building on the premises. Show major orientation and location of all water meters, storm drains, numbered unit processes (from schematic flow diagram in Section E-3), public sewers, and each facility sewer line connected to the public sewers. Number each sewer.

A blueprint or drawing of the facilities showing the above items may be attached in lieu of submitting a drawing.

SECTION I - SPILL PREVENTION

1. Do you have chemical storage containers, bins, or ponds at your facility? No Yes

If Yes, please give a description of their location, contents, size, type, and frequency and method of cleaning. Also indicate in a diagram or comment on the proximity of these containers to a sewer or storm drain. Indicate if buried metal containers have cathodic protection.

2. Do you have floor drains in your manufacturing or chemical storage area(s)? No Yes
if Yes, where do they discharge to?

3. If you have chemical storage containers, bins, or ponds in manufacturing area, could an accidental spill lead to a discharge to: (check all that apply).

- an on-site disposal system
- public sanitary sewer system (e.g. through a floor drain)
- storm drain
- to ground
- other, specify: _____
- not applicable, no possible discharge to any of the above routes

4. Do you have an accidental spill prevention plan (ASPP) to prevent spills of chemicals or slug discharges from entering the City's collection system?

- No
- Yes (Please enclose a copy with the application)
- N/A, not applicable since there are no floor drains and/or the facility discharge(s) only domestic wastes.

SECTION J - NON-DISCHARGED WASTES

1. Are any waste liquids or sludges generated and not disposed of in the sanitary sewer system
- No, skip the remainder of Section J.
 Yes, please describe below (attach additional sheets if necessary)

<u>Waste Generated</u>	<u>Quantity (per year)</u>	<u>Disposal Method</u>	<u>Treatment Facility On-site/Off-site</u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

2. If any of your wastes identified in No. 1 are sent to an off-site centralized waste treatment facility, identify the facility's name and location _____

3. If an outside firm removes any of the waste, described in No. 1 above, state the name(s) and address(es) of all waste haulers:

a. _____

Permit No. (if applicable): _____

b. _____

Permit No. (if applicable): _____

4. If any wastes are stored on site for greater than 90 days provide the following:

Method: drum, roll-off container, tank, lagoon,

other (specify) _____

Typical length of time waste stored: days weeks months

Typical volume of waste stored: tons gallons

Is storage site diked? Yes No

Surface drainage collection: Yes No

Authorized Representative Statement

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified persons properly gather and evaluate the information submitted. Based on my inquiry of the persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name(s)

Title

Signature

Date

Phone

PRIORITY POLLUTANTS

AS OF: November 7, 1994

<u>CHEMICAL CONSTITUENTS</u>	<u>DETECTION LIMIT</u>
Methoxychlor	0.3 µg/l
2,4-Dichlorophenoxyacetic acid (2,4-D)	5 µg/l
2,4,5-Trichlorophenoxy propionic acid (TP Silvex)	10 µg/l
Antimony	50 µg/l
Arsenic	30 µg/l
Beryllium	10 µg/l
Cadmium	10 µg/l
Chromium (Total)	10 µg/l
Chromium (VI)	10 µg/l
Copper	20 µg/l
Lead	25 µg/l
Mercury	0.5 µg/l
Nickel	20 µg/l
Selenium	40 µg/l
Silver	10 µg/l
Thallium	50 µg/l
Zinc	20 µg/l
Cyanide	25 µg/l
Acrolein	50 µg/l
Acrylonitrile	50 µg/l
Benzene	2 µg/l
Bromoform (Tribromomethane)	10 µg/l
Carbon Tetrachloride	2 µg/l
Chlorobenzene	10 µg/l
Chlorodibromomethane	10 µg/l
Chloroethane	5 µg/l
2-Chloroethylvinyl Ether	10 µg/l
Chloroform (Trichloromethane)	2 µg/l
Dichlorobromomethane	10 µg/l
1,1-Dichloroethane	2 µg/l
1,2-Dichloroethane	2 µg/l
1,1-Dichloroethylene	2 µg/l
1,2-Dichloropropane	2 µg/l
1,3-Dichloropropylene (Cis)	2 µg/l
1,3-Dichloropropylene (Trans)	2 µg/l
Ethylbenzene	2 µg/l
Methyl Bromide (Bromomethane)	10 µg/l
Methylene Chloride	10 µg/l
Methyl Chloride (Chloromethane)	10 µg/l
1,1,2,2-Tetrachloroethane	2 µg/l
Tetrachloroethylene	2 µg/l
Toluene	2 µg/l
1,2-Trans-Dichloroethylene	2 µg/l
1,1,1-Trichloroethane	2 µg/l
1,1,2-Trichloroethane	2 µg/l
Trichloroethylene	2 µg/l
Vinyl Chloride	10 µg/l
2-Chlorophenol	10 µg/l
2,4-Dichlorophenol	10 µg/l
2,4-Dimethylphenol	10 µg/l
2-Methyl-4, 6-Dinitrophenol (4,6-Dinitro-o-cresol)	50 µg/l
2,4-Dinitrophenol	50 µg/l
2-Nitrophenol	50 µg/l
4-Nitrophenol	50 µg/l
3-Methyl-4-Chlorophenol (Parachlorometa cresol)	10 µg/l
Pentachlorophenol	20 µg/l
Phenol	10 µg/l
2,4,6-Trichlorophenol	10 µg/l
Acenaphthene	10 µg/l
Acenaphthylene	10 µg/l
Anthracene	10 µg/l
Benzidine	80 µg/l
Benzo(a)Anthracene	10 µg/l
Benzo(a)Pyrene	10 µg/l

<u>CHEMICAL CONSTITUENTS</u>	<u>DETECTION LIMIT</u>
3,4-Benzofluoranthene	10 µg/l
Benzo(ghi)Perylene	10 µg/l
Benzo(k)Fluoranthene	10 µg/l
Bis(2-Chloroethoxy)Methane	10 µg/l
Bis(2-Chloroethyl)Ether	10 µg/l
Bis(2-Chloroisopropyl)Ether	10 µg/l
Bis(2-Ethylhexyl)Phthalate	10 µg/l
4-Bromophenyl Phenyl Ether	10 µg/l
Butylbenzyl Phthalate	10 µg/l
2-Chloronaphthalene	10 µg/l
4-Chlorophenyl Phenyl Ether	10 µg/l
Chrysene	10 µg/l
Dibenzo(s,h)Anthracene	10 µg/l
1,2-Dichlorobenzene	10 µg/l
1,3-Dichlorobenzene	10 µg/l
1,4-Dichlorobenzene	10 µg/l
3,3-Dichlorobenzidine	20 µg/l
Diethyl Phthalate	10 µg/l
Dimethyl Phthalate	10 µg/l
Di-n-Butyl Phthalate	10 µg/l
2,4-Dinitrotoluene	20 µg/l
2,6-Dinitrotoluene	20 µg/l
Di-n-Octyl Phthalate	10 µg/l
1,2-Diphenylhydrazine	10 µg/l
Fluoranthene	10 µg/l
Fluorene	10 µg/l
Hexachlorobenzene	10 µg/l
Hexachlorobutadiene	10 µg/l
Hexachlorocyclopentadiene	10 µg/l
Hexachloroethane	10 µg/l
Indeno(1,2,3-cd)Pyrene	10 µg/l
Isophorone	10 µg/l
Naphthalene	10 µg/l
Nitrobenzene	10 µg/l
N-Nitrosodimethylamine	10 µg/l
N-Nitrosodi-n-Propylamine	10 µg/l
N-Nitrosodiphenylamine	10 µg/l
Phenanthrene	10 µg/l
Pyrene	10 µg/l
1,2,4-Trichlorobenzene	10 µg/l
Aldrin	0.1 µg/l
a-BHC-Alpha	0.1 µg/l
b-BHC-Beta	0.1 µg/l
Lindane [Hexachlorocyclohexane (g-BHC-gamma)]	0.1 µg/l
d-BHC-Delta	0.1 µg/l
Chlordane	0.5 µg/l
4,4-DDT	0.2 µg/l
4,4-DDE	0.2 µg/l
4,4-DDD	0.2 µg/l
Dieldrin	0.1 µg/l
a-Endosulfan	0.5 µg/l
b-Endosulfan	0.5 µg/l
Endosulfan sulfate	0.5 µg/l
Endrin	0.2 µg/l
Endrin Aldehyde	0.2 µg/l
Heptachlor	0.1 µg/l
Heptachlor Epoxide	0.1 µg/l
PCB-1242	1 µg/l
PCB-1254	1 µg/l
PCB-1221	1 µg/l
PCB-1232	1 µg/l
PCB-1248	1 µg/l
PCB-1260	1 µg/l
PCB-1016	1 µg/l
Toxaphene	2 µg/l